

Sedimentary Geology 147 (2002) 449-450

## Sedimentary Geology

www.elsevier.com/locate/sedgeo

## Contents Volume 147 (2002)

Special Issue:

RIFT	BASINS:	SEDIMEN	TOLOGY	AND PAL	AEONTOLOGY

Edited by: P.K. BOSE, S. SARKAR and P.G. ERICKSSON

Preface	1
An introduction to rift basins and their sediments	
A.D. Miall Professor S.K. Chanda—a guiding factor in Indian sedimentology	.3
S.K. Tandon	9
The 1.1-Ga Midcontinent Rift System, central North America: sedimentology of two deep boreholes, Lake Superior region	,
R.W. Ojakangas and A.B. Dickas	13
A half-graben setting for the Proterozoic Soutpansberg Group (South Africa): evidence from the Blouberg area A.J. Bumby, P.G. Eriksson, R. van der Merwe and G.L. Steyn	37
Soft-sediment deformations in the Kleszczów Graben (central Poland)	
A.J. van Loon	57
Sequence stratigraphy of the Precambrian Rooihoogte-Timeball Hill rift succession, Transvaal Basin, South Africa	
O. Catuneanu and P.G. Eriksson	71
Shelf storm flow dynamics: insight from the Mesoproterozoic Rampur Shale, central India	
S. Sarkar, S. Banerjee, S. Chakraborty and P.K. Bose.	89
Stratigraphic architecture of the Proterozoic succession in the eastern Chattisgarth Basin, India: tectonic implications	
S. Patranabis Deb and A.K. Chaudhuri	105
The fluvial-to-marine transition within the post-rift Lower Cambrian Hardyston Formation, Eastern Pennsylvania, USA	
E.L. Simpson, K.A. Dilliard, B.F. Rowell and D. Higgins	127
Highest Phanerozoic strontium isotopic ratios of pre-rift Late Cambrian passive margin in New York State, USA:	
products of continental weathering and orogenesis	
G.M. Friedman	143
The Raniganj Coal Basin: an example of an Indian Gondwana rift	
S.C. Ghosh	155
Records of the influence of Deccan volcanism on contemporary sedimentary environments in Central India	
S.K. Tandon ,	177
How far did India drift during the Late Cretaceous?—Placenticeras kaffrarium Etheridge, 1904 (Ammonoidea) used	
as a measuring tape	
S. Bardhan, T.K. Gangopadhyay and U. Mandal	193
Taphonomy of some Gondwana vertebrate assemblages of India	2.00
S. Bandyopadhyay, T.K. RoyChowdhury and D.P. Sengupta	219

## ExpresSed Gas hydrate dissociation in the Lorca Basin (SE Spain) during the Mediterranean Messinian salinity crisis Discovery of a submerged relic reef and shoreline off Grand Cayman: further support for an early Holocene jump in sea level P. Blanchon, B. Jones and D.C. Ford. Research Papers The impact of Milankovitch-scale climatic forcing on sediment supply C.J. Van der Zwan Cenozoic carbonates in Southeast Asia: implications for equatorial carbonate development Discussion of "Palaeoclimatic significance of co-occurring wind- and water-induced sedimentary structures in the last-interglacial coastal deposits from Bermuda and the Bahamas" (Kindler and Strasser, 2000, Sedimentary Geology, 131, 1-7) P.J. Hearty, B.R. Tormey and A.C. Neumann. 429 Palaeoclimatic significance of co-occurring wind- and water-induced sedimentary structures in last-interglacial coastal deposits from Bermuda and the Bahamas: response to Hearty et al.'s comment Frrata Erratum to "Stratigraphy and geochronology of the Comondú Group near Loreto, Baja California sur, Mexico" [Sediment. Geol. 144 (2001) 125-147] 445 Erratum to "Architectural analysis of fluvial sequences in the northwestern part of Kyongsang Basin (Early Cretaceous), SE Korea" [Sediment. Geol. 144 (2001) 307-334] H.R. Jo and S.K. Chough.

